

## **Giyani Reports New High Grade Results, up to 73% MnO, at K.Hill Project, Botswana**

OAKVILLE, ONTARIO – July 19, 2017 – Giyani Metals Corporation (TSXV:WDG, GR:KT9) (“Giyani” or the “Company”) is pleased to announce lab results from 80 surface samples collected during phase II regional mapping and sampling program currently underway at its 88% owned Kgwakgwe Hill (K.Hill) project in Botswana.

### **Sampling and Results Summary**

Different lithologies were sampled to test both the grade of mineralization as well as background manganese values in the host rock. The manganiferous shale unit (“Mn-Shale”), from the well known Kgwakgwe Hill Shale formation, is considered the main target. Mineralization styles vary from laminated to massive to botryoidal. Analyses of the Mn-Shale sampled from K.Hill thus far covers approximately 500 meters along strike. Sampling is still underway, and the same shale unit will be sampled towards the south of the historic mine site.

33 samples were taken at K.Hill. These are associated with the Mn-Shale which is an iron enriched unit, up to 10 meters thick. These 33, along with 21 duplicates assayed between 46% to 64% MnO with two samples under 40%. An interpreted fault zone unit has been mapped at K.Hill. This fault zone contains the botryoidal type mineralization while the host lithology has been deformed and altered to a massive, typically iron enriched unit. “Nodules” of Mn-minerals showing botryoidal habit returned MnO grade of up to 73%. Sampling continues within an initial 1km by 1km envelope around the historical mine site. Images indicating the different styles of mineralization can be seen at the company’s website.

A complete table of all sample results is included in Appendix A. These assays were produced by SGS Randfontein South Africa 13 July of 2017.

“These recent results further support our confidence level that Giyani is exploring a unique world class manganese deposit at K.Hill” states Wajd Boubou, President. “In addition, we believe once the metallurgical results have been received, the situation here is ideal to quickly advance this project to trial mining and processing stage while additional studies are concurrently being conducted.”

Ian Flint, Ph.D., P.Eng , is the qualified person, as that term is defined by National Instrument 43-101, on behalf of the Company and has approved the scientific and technical content contained in this press release.

Additional information and corporate documents may be found on [www.sedar.com](http://www.sedar.com) and on the Giyani website: <http://giyanimetals.com/>.

*Neither the TSX Venture Exchange nor its Regulation Services Provider (as that term is defined in the policies of the TSX Venture Exchange) accepts responsibility for the adequacy or accuracy of this news release.*

On behalf of the Board of Directors of Giyani Metals Corporation.

Duane Parnham, Executive Chairman & CEO

Contact:  
 Giyani Metals Corporation  
 Wajd Boubou  
 President  
 1.289.837.0066  
[wboubou@giyanigold.com](mailto:wboubou@giyanigold.com)

*Forward-Looking Statements*

*This news release may contain forward-looking statements including but not limited to comments regarding the timing and content of upcoming work programs, geological interpretations, receipt of property titles, potential mineral recovery processes, the financial picture of the Company, etc. Forward-looking statements address future events and conditions and therefore, involve inherent risks and uncertainties. Actual results may differ materially from those currently anticipated in such statements.*

**Appendix A: Major element analysis by borate fusion, XRF performed by SGS (July 2017). Original samples are 9 through 68 while 69-88 are duplicates.**

Received 06-Jul-17														
Reported 12-Jul-17														
11620	WtRec	Al2O3	SiO2	CaO	Cr2O3	Fe2O3	K2O	MgO	MnO	Na2O	P2O5	TiO2	V2O5	LOI
METHOD	WGH79	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V	XRF76V
LDETECTION	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.01	0.0023	0.01	0.01	-50
UDETECTION	0	100	100	100	100	100	100	100	100	100	100	100	100	100
UNITS	G	%	%	%	%	%	%	%	%	%	%	%	%	%
KAN/09/2017	2077.5	2.98	11.9	0.11	0.04	10.8	3.48	0.07	53.7	0.05	0.253	0.1	0.04	10.36
KAN/10/2017	2000.5	4.02	9.06	0.25	<0.01	13.7	2.85	0.26	51.2	0.06	0.193	0.12	0.21	10.67
KAN/11/2017	1533	2.94	2.73	0.1	0.04	13.4	4.15	0.04	59.8	0.05	0.635	0.1	0.09	11.22

KAN/12/2017	1921	3.89	11.5	0.16	0.02	13.7	3.07	0.25	50.3	0.06	0.309	0.12	0.14	10.08
KAN/13/2017	1755.5	4.18	4.44	0.13	0.11	14.2	3.52	0.12	56	0.06	0.274	0.13	0.11	11.34
KAN/14/2017	3550.5	2.52	5.4	0.2	<0.01	8.45	3.92	0.1	61.5	0.06	0.252	0.07	0.1	11.39
KAN/15/2017	1898	2.29	3.03	0.15	<0.01	10.8	3.24	0.08	59.6	0.06	0.222	0.08	0.6	11.19
KAN/16/2017	1609	5.26	14.5	0.18	<0.01	8.16	3.21	0.35	51.9	0.06	0.341	0.45	0.06	10.19
KAN/17/2017	1795	3.13	4.12	0.09	<0.01	15.6	3.64	0.04	56.3	0.05	0.293	0.11	0.14	10.86
KAN/18/2017	2615.5	1.76	3.1	0.25	<0.01	6.85	3.54	0.25	64.1	0.07	0.356	0.06	0.24	11.96
*DUP- KAN/18/2017	-	1.77	3.09	0.25	<0.01	6.85	3.58	0.26	64.2	0.07	0.355	0.06	0.23	11.93
KAN/19/2017	1813	2.34	2.39	0.18	<0.01	11.1	3.74	0.19	60.9	0.05	0.22	0.09	0.13	11.2
KAN/20/2017	1712.5	5.18	23.1	0.2	<0.01	6.13	2.85	0.4	46.7	0.08	0.24	0.23	0.03	9.44
KAN/21/2017	1862.5	2.91	6.29	0.11	<0.01	11.8	3.68	0.12	57.3	0.06	0.284	0.1	0.13	10.95
KAH/22/2017	912	1.69	9.13	0.22	<0.01	6.47	1.47	0.53	62	0.06	0.208	0.04	0.09	12.15
KAH/23/2017	1392.5	5.42	5.42	0.17	<0.01	15.8	2.7	0.13	50.8	0.07	0.395	0.14	0.12	11.83
KAH/24/2017	662.5	4.71	7.66	0.25	<0.01	10.9	2.21	0.16	56	0.08	0.314	0.15	0.06	11.46
KAH/25/2017	978.5	2.18	2.98	0.35	0.03	8.97	3.6	0.33	61.3	0.07	0.385	0.06	0.23	11.71
KAH/26/2017	1247.5	4.92	5.88	0.2	<0.01	14.9	2.61	0.1	52.8	0.07	0.317	0.1	0.13	11.57
KAH/27/2017	1352.5	2.94	4.37	0.11	0.05	13.5	4.1	0.07	57.9	0.05	0.272	0.11	0.08	10.93
KAH/28/2017	1478	2.19	3.13	0.19	<0.01	10.2	4.49	0.16	62.2	0.04	0.236	0.09	0.13	10.93
KAH/29/2017	1027	7.41	27.9	0.11	0.03	15.7	3.59	0.48	32.3	0.05	0.132	0.24	0.05	7.49
KAH/30/2017	1220.5	2.38	1.97	0.18	<0.01	13	3.66	0.09	60.6	0.05	0.301	0.09	0.1	11.12
KAH/31/2017	982	3.41	8.72	0.25	<0.01	12.1	3.98	0.25	54.2	0.04	0.308	0.11	0.1	10.49
KAH/32/2017	1207.5	2.61	2.79	0.14	<0.01	12.4	4.05	0.03	60	0.05	0.266	0.11	0.15	10.89
KAH/33/2017	1654	2.74	4.02	0.2	<0.01	12.7	3.01	0.22	57.5	0.06	0.395	0.12	0.13	10.99
KAH/34/2017	1081	3.01	2.87	0.25	<0.01	9.84	2.3	0.12	60	0.06	0.191	0.08	0.23	11.81
KAH/35/2017	1417.5	3.63	17.6	0.19	0.03	10.6	3.04	0.28	48.4	0.06	0.25	0.1	0.26	9.43
KAH/36/2017	1617.5	2.54	21.9	0.2	<0.01	10.8	3.05	0.12	46.1	0.05	0.167	0.08	0.13	8.95
KAH/37/2017	1416	2.99	1.86	0.42	<0.01	13.2	2.84	0.17	57.5	0.1	0.413	0.07	0.16	11.63
KAH/38/2017	1420.5	2.34	3.38	0.14	<0.01	9.84	3.4	0.05	62.3	0.06	0.343	0.06	0.28	11.47
KAH/39/2017	965.5	2.73	5.37	0.18	<0.01	16.1	4.09	0.15	56.1	0.04	0.25	0.09	0.06	9.83
KAH/40/2017	911.5	4.53	4.49	0.09	<0.01	11.6	3.54	0.04	56.3	0.04	0.396	0.12	0.03	12.64
KAH/41/2017	1617.5	3.87	4.02	0.1	<0.01	14.6	3.87	0.07	56.3	0.04	0.313	0.12	0.03	11.31
KAH/42/2017	1044	3.94	6.66	0.09	<0.01	16.4	3.5	0.09	52.4	0.05	0.553	0.09	0.11	10.99
KAH/43/2017	1629	3.29	29.4	0.13	<0.01	7.57	1.17	0.1	44.1	0.05	0.095	0.08	<0.01	9.34
KAH/44/2017	1252.5	2.89	32.1	0.04	<0.01	4.1	2.55	0.03	43	0.05	0.281	0.06	0.02	8.65
KAH/45/2017	1619	3.22	4.91	0.12	<0.01	1.48	2.84	0.06	64.2	0.07	0.369	0.07	0.06	11.93
KAH/46/2017	1582.5	3.4	10	0.55	<0.01	14.2	1.24	0.8	50.6	0.04	0.111	0.26	0.04	14.15
KAH/47/2017	1341	3.07	33.4	0.44	<0.01	5.41	0.85	0.58	40.8	0.04	0.067	0.23	<0.01	10.51
KAH/48/2017	1879	1.64	34.3	0.11	<0.01	1.56	1.89	0.03	46	0.04	0.691	0.04	0.04	8.31
KAH/49/2017	1926	4.74	80.9	0.07	0.03	9.23	0.42	0.77	1.23	0.02	0.062	0.3	0.03	2.66

KAH/50/2017	1429.5	4.74	80.9	0.11	0.05	9.67	0.37	0.83	0.31	0.03	0.164	0.35	0.03	2.53
KAH/51/2017	1710	17.3	49.8	0.07	0.05	18.3	3.24	1.64	0.66	0.07	0.143	1.24	0.05	5.77
KAH/52/2017	1355	16	40.6	0.12	0.05	25.6	1.68	2.05	2.06	0.06	0.347	1.22	0.04	7.59
KAH/53/2017	996.5	4.34	26.9	0.17	<0.01	12	0.64	0.56	39	0.04	0.181	0.24	0.04	11.39
KAH/54/2017	1524.5	4.35	18.1	0.45	<0.01	12.5	0.83	0.76	43.7	0.04	0.116	0.33	0.04	13.5
KAH/55/2017	1739.5	1.57	5.2	0.2	<0.01	3.25	1.21	0.29	69.4	0.04	0.113	0.06	0.03	13.53
KAH/56/2017	1808.5	1.68	67.8	0.09	0.02	9.06	0.21	0.22	12.7	0.03	0.064	0.07	0.04	4.43
KAH/57/2017	1546	2.69	17.4	0.28	<0.01	5.68	1.28	0.39	54.5	0.05	0.112	0.16	0.02	12.15
KAH/58/2017	1973.5	1.53	14.2	0.24	<0.01	3.45	1.39	0.35	61	0.04	0.107	0.08	0.01	11.99
*REP- KAH/24/2017	-	4.73	7.7	0.25	<0.01	10.9	2.21	0.18	56	0.09	0.314	0.15	0.06	11.5
*REP- KAH/58/2017	-	1.52	14.2	0.24	<0.01	3.44	1.4	0.35	61	0.04	0.109	0.07	<0.01	11.96
*STD-AMIS0407	-	0.3	5.51	15.9	0.22	6	0.04	3.22	46.8	0.04	0.043	0.02	<0.01	17.53
*STD-SARM 16	-	0.31	5.01	4.69	<0.01	16.3	0.01	0.75	63.3	0.04	0.073	0.01	<0.01	3.02
*STD-AMIS0407	-	0.29	5.47	15.9	0.23	6	0.04	3.17	46.6	0.04	0.04	0.01	<0.01	17.61
*STD-SARM 16	-	0.3	4.99	4.68	<0.01	16.3	0.02	0.74	63.3	0.04	0.073	0.01	<0.01	3.01
*STD-AMIS0407	-	0.29	5.48	15.9	0.21	6	0.04	3.2	46.9	0.04	0.04	0.01	<0.01	17.49
*STD-SARM 16	-	0.3	5	4.68	<0.01	16.3	0.01	0.75	63.4	0.03	0.074	0.02	<0.01	3.08
*BLK-BLANK	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0023	<0.01	<0.01	100
*STD-SARM 5	-	4.24	50.7	2.64	3.48	12.7	0.09	25.1	0.23	0.38	0.015	0.2	0.05	-0.22
KAH/59/2017	1379.5	3.47	35.2	0.16	<0.01	11	0.64	0.33	34.4	0.04	0.186	0.24	0.08	9.71
KAH/60/2017	1912	3.41	28.2	0.25	<0.01	9.9	0.78	0.55	39.7	0.04	0.134	0.24	0.02	11
KAH/61/2017	1032.5	1.69	17.4	0.39	<0.01	5.68	1.42	0.63	55	0.05	0.097	0.05	0.03	12.08
KAH/62/2017	1324.5	1.51	3.03	0.27	<0.01	2.59	1.22	0.24	71.7	0.04	0.148	0.07	0.02	13.58
KAH/63/2017	1386.5	1.89	18.2	0.19	<0.01	11.2	0.54	0.23	51.3	0.04	0.152	0.07	0.04	10.84
KAH/64/2017	1698	3.63	18.6	0.23	<0.01	13.7	0.86	0.66	44.5	0.04	0.218	0.36	0.05	12.08
KAH/65/2017	1507	1.74	3.34	0.39	0.05	4.2	1.24	0.67	68.3	0.05	0.174	0.05	0.07	14.47
KAH/66/2017	1438.5	1.58	1.15	0.17	0.01	2.04	1.94	0.17	73.4	0.05	0.146	0.05	0.03	13.82
KAH/67/2017	1229	3.88	5.19	0.23	<0.01	8.24	2.31	0.39	60.1	0.06	0.264	0.08	0.12	12.59
KAH/68/2017	1585.5	3.69	25.5	0.27	<0.01	11.5	0.64	0.32	42.3	0.05	0.186	0.26	0.04	10.81
*DUP- KAH/68/2017	-	3.72	25.4	0.28	<0.01	11.6	0.63	0.31	42.3	0.05	0.187	0.25	0.04	10.77
KAH/69/2017	1989	2.6	2.93	0.14	<0.01	12.9	4.26	0.04	60.4	0.05	0.594	0.09	0.07	10.74
KAH/70/2017	1591	4.41	6.17	0.12	<0.01	14.3	3.4	0.12	53.9	0.05	0.256	0.14	0.11	11.16
KAH/71/2017	1837	2.04	4.38	0.22	<0.01	11.4	3.75	0.14	60.2	0.06	0.314	0.08	0.1	11.25
KAH/72/2017	1353.5	3.3	4.3	0.15	<0.01	11.8	2.52	0.08	57.4	0.07	0.211	0.11	0.28	11.51
KAH/73/2017	1502.5	3.48	3.63	0.15	<0.01	13	3.32	0.2	58.1	0.06	0.202	0.12	0.14	11.58
KAH/74/2017	1309	5	18.6	0.2	<0.01	8.92	2.66	0.37	48.3	0.08	0.257	0.2	0.04	9.8
KAH/75/2017	1028.5	3.49	8.95	0.27	<0.01	10.9	1.61	0.41	54.6	0.05	0.258	0.28	0.04	13.15
KAH/76/2017	1375	2.05	3.42	0.19	<0.01	10.7	4.34	0.13	61.3	0.04	0.333	0.08	0.16	10.86
KAH/77/2017	1142	3.83	9.33	0.24	<0.01	12.6	3.73	0.24	53.2	0.04	0.297	0.12	0.12	10.55

KAH/78/2017	1190	4.16	4.22	0.12	<0.01	16.7	3.29	0.11	53.4	0.05	0.238	0.13	0.12	10.93
KAH/79/2017	1310	2.72	4.05	0.17	<0.01	13.6	3.02	0.15	57	0.05	0.379	0.1	0.12	10.83
KAH/80/2017	1074	3.48	2.71	0.22	<0.01	8.54	2.45	0.13	59.7	0.07	0.22	0.08	0.22	11.78
KAH/81/2017	1513.5	3.14	3.93	0.19	<0.01	16	3.64	0.14	56.6	0.06	0.154	0.09	0.07	10.63
KAH/82/2017	1321	2.97	2.08	0.43	<0.01	12.2	2.77	0.18	58.6	0.11	0.428	0.07	0.18	12.08
KAH/83/2017	1250.5	2.8	4.14	0.11	<0.01	10.3	3	0.05	60.3	0.05	0.269	0.12	0.23	12.05
KAH/84/2017	892.5	2.85	6.18	0.16	<0.01	16.3	4.19	0.17	55	0.04	0.246	0.1	0.06	9.78
KAH/85/2017	933	3.63	32	0.18	<0.01	11.4	0.74	0.38	36.2	0.04	0.191	0.25	0.08	10.19
KAH/86/2017	1254.5	3.84	13.3	0.13	<0.01	14.5	3.47	0.12	49.5	0.04	0.279	0.1	0.06	9.53
KAH/87/2017	1265.5	3.7	7.37	0.11	<0.01	18.7	3.5	0.14	50.5	0.05	0.471	0.12	0.11	10.21
KAH/88/2017	1232.5	3.25	7.48	0.2	0.03	13.2	2.73	0.07	54.9	0.06	0.333	0.09	0.12	10.94
*REP- KAH/66/2017	-	1.59	1.18	0.17	0.03	2.03	1.94	0.16	73.1	0.05	0.144	0.06	0.03	13.84
*STD-AMIS0407	-	0.28	5.46	15.9	0.22	5.99	0.04	3.17	46.8	0.04	0.041	0.02	<0.01	17.46
*STD-SARM 16	-	0.3	5.04	4.7	<0.01	16.2	0.02	0.74	63.4	0.04	0.074	0.01	<0.01	3.16
*STD-AMIS0407	-	0.29	5.47	15.9	0.21	6	0.04	3.16	46.9	0.04	0.041	0.01	<0.01	17.72
*STD-SARM 16	-	0.3	4.99	4.71	0.04	16.2	0.01	0.76	63.4	0.03	0.075	0.01	<0.01	3.41
*BLK-BLANK	-	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.0023	<0.01	<0.01	100